SEQUENCE LISTING

<110> TAKAHASHI Hiroshi and HANADA Shuichi

<120> Method for Examining Cancer Cells and Reagent Therefor

<130> 03PF273-PCT

<160> 17

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 1

aagccggcag tcagtcgtga

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used in inverse PCR for amplifying
a region of HTLV-1 gene

<400> 2

aagtaccggc aactctgctg

20

<210> 3

<211> 20

`

<212>	DNA
<213>	Artificial Sequence
<220>	
<223>	Oligonucleotide forward primer used in inverse PCR for amplifying
a reg	ion of HTLV-1 gene
<400>	3
gaaagg	gaaa ggggtggaac 20
<210>	4
<211>	20
<212>	DNA
<213>	Artificial Sequence
<220>	
<223>	Oligonucleotide reverse primer used in inverse PCR for amplifying
a reg	ion of HTLV-1 gene
<400>	4
ccagcg	acag cccattctat 20
<210>	5
<211>	24
<212>	DNA
<213>	Artificial Sequence
<220>	
<223>	Oligonucleotide probe used for detecting a region of HTLV-1 gene
<400>	5

24

ctccaggaga gaaatttagt acac

Ç

<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Oligonucleotide forward primer used for measuring pX gene in HTL V-1 gene <400> 6 20 ttcccagggt ttggacagag <210> 7 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Oligonucleotide reverse primer used for measuring pX gene in HTL V-1 gene <400> 7 20 cgaagatagt ccccagaga <210> 8 <211> 25 <212> DNA <213> Artificial Sequence <220> <223> Oligonucleotide TaqMan probe used for measuring pX gene in HTLV-1 gene <400> 8

atacccagtc tacgtgtttg gagac

25

```
<210> 9
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide forward primer used for measuring beta-globin gen
е
<400> 9
                                                                    20
acacaactgt gttcactagc
<210> 10
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide reverse primer used for measuring beta-globin gen
<400> 10
                                                                   20
caacttcatc cacgttcacc
<210>
     11
<211>
      25
<212> DNA
<213> Artificial Sequence
<220>
      Oligonucleotide probe used for measuring beta-globin gene
<223>
<400> 11
```

)

aacagacacc atggtgcatc tgact					
<210	> 12				
<211	> 20				
<212	> DNA				
<213	Artificial Sequence				
<220	>				
<223	Oligonucleotide forward primer used for measuring PCD1 gene				
<400	> 12				
gaca	aggotg coctotocta	20			
<210	> 13				
<211	> 26				
<212	> DNA				
<213	Artificial Sequence				
<220	•				
<223	Oligonucleotide reverse primer used for measuring PCD1 gene				
<400	> 13				
ttaaa	atcaag accagatgtg gaagac	26			
<210	> 14				
<2112	> 27				
<212	> DNA				
<213	Artificial Sequence				
<220					
<223	Oligonucleotide TaqMan probe used for measuring PCD1 gene				
<400	> 14				
ctttc	ctttcccaag accaggctgc cacttct 27				

)

<210>	15			
<211>	19			
<212>	DNA			
<213>	Artificial Sequence			
<220>				
<223>	Oligonucleotide forward primer used for measuring 4F2 gene			
<400>	15			
tccttc	ttgc cggctcaac	19		
<210>	16			
<211>	20			
<212>	DNA			
<213>	Artificial Sequence			
<220>				
<223>	Oligonucleotide reverse primer used for measuring 4F2 gene			
<400>	16			
gcatccaggc caatctcatc 20				
<210>				
<211>				
<212>	DNA			
<213>	Artificial Sequence			
<220>				
<223>				
<400>	17	••		
cgactctacc agctgatgct cttcaccc 28				